



measure

Where can they be used?

MESAURES / SMALL AND LARGE CUPS



ANIMAL FEEDING

feeds for farm animals,
animal supplements,
bird food



BUILDING INDUSTRY

paint, glue and varnish manufactu-
rers, cement plants, wood industry,
flooring, tiling



EVENTS, TRADE FAIR, ADVERTISMENT

advertising gadgets, event mug,
agricultural magazines



FOOD INDUSTRY

dispensing food industries
(dietary supplements, spices,
bakeries, pastry shops,
fast foods, restaurants)



Where can they be used?

MESAURES / SMALL AND LARGE CUPS



AGRICULTURE

plant protection products manufacturers and distributors, fertilizers, seeds, agricultural, chemical and construction stores, manufacturers of sprayers and agricultural machinery (calibration cup)



CHEMICAL INDUSTRY

paint, glue and varnish manufacturers, cleaning agents manufacturers (e.g. pool cleaning), detergents



MEDICAL INDUSTRY

dispensing of medical supplies, cosmetics, chemicals in the medical industry



CLEANING SERVICES

washing agents

ANOTHER

galvanization, car workshops, printing houses, wineries, breweries



Where can buckets be used ?



ANIMAL FEEDING



BULDING INDUSTRY

EVENTS, TRADE FAIR,
ADVERTISEMENT



SOCIAL
CAMPAIGNS

AGRICULTURE,
FISHING



CHEMICAL INDUSTRY

SAUNAS

CLEANING SERVICES



Where can scoops be used ?



FARMED ANIMALS
FEEDING

PET FEEDING

POULTRY
FARMS

AGRICULTURE
MAGAZINES

FOOD
INDUSTRY

SUPERMARKETS

AGRICULTURE

CHEMICAL INDUSTRY



MEASURE SPOONS

FAMILY PIKO



PIKO 1 ml
ŁP00010



PIKO 2 ml
ŁP00020



PIKO 5 ml
ŁP00050



PIKO 10 ml
ŁP00100



PIKO 20 ml
ŁP00200



*Ask for the spoon
in your color*

Features:

- Resistant to chemicals
- Dishwasher safe (temp. to + 85°C)
- Special designed scales for measuring various products
- Different prints possible: logo, contact details, custom scale

Use:

- plant protection liquids
 - chemicals
 - fodders
 - alcohol based liquids (solvents, removers, varnishes)
 - industrial materials
 - food products (**our products meet the requirements of materials intended to come into contact with food**)
- overall migration test



MEASURE SPOONS

FAMILY PIKO-S



PIKO-S 30 ml
LP00300



PIKO-S 50 ml
LP00500



PIKO-S 75 ml
LP00750



30 ml
L000030




Possibility to print the scale

Features:

- Resistant to chemicals
- Dishwasher safe (temp. to + 85°C)
- Special designed scales for measuring various products
- Different prints possible: logo, contact details, custom scale

Use:

- plant protection liquids
- chemicals
- fodders
- alcohol based liquids (solvents, removers, varnishes)
- industrial materials
- tests PICA Chemische Analytik GmbH 
- food products (**our products meet the requirements of materials intended to come into contact with food**)
- overall migration test

Convenient packaging of a series of spoons



MEASURES 200 ml - 10 l



NANO 200 ml
N000200



NANO 400 ml
N000400



SMART 500 ml
MS00500

NEW

**AVAILABLE
SOON**



MUG 500 ml
M000500



EKO 1000 ml
M001000



SMART 1000 ml
MS01000



SMART 1500 ml
MS01500



SOLID 1800 ml
M001800

Features:

- Resistant to chemicals
- Dishwasher safe (temp. to + 85°C)
- Special designed scales for measuring various products
- Different prints possible: Logo, contact details, custom scale

Use:

- plant protection liquids
- chemicals
- fodders
- alcohol based liquids (solvents, removers, varnishes)
- industrial materials
- food products (**our products meet the requirements of materials intended to come into contact with food**)



SMART 2000 ml
MS02000



TWIN 2000 ml
MT02000



SMART 3000 ml
MS03000



Possibility
of printing
on the handle



GUSTAV 5000 ml
MG05000

Handles colours:



WHITE RED GREEN BLACK BLUE



BUCK 10 l
WM00010

Family of measures **NANO**



NANO 200 ml
N000200



NANO 400 ml
N000400



Perfect for feeding animals
and as reusable cups
during mass events

Possibility to print the scale in grams
also for powder products



Family of measures SMART

NEW

AVAILABLE SOON



SMART 500 ml
MS00500



SMART 1000 ml
MS01000



SMART 1500 ml
MS01000



SMART 2000 ml
MS02000



SMART 3000 ml
MS03000

Convenient packing and transport

Precise scale



possibility
IMPRINT
UV TECHNOLOGY
of any imprint



Possibility to print the scale in grams also for powder products



Scoops

- strong handle
- economical packaging (handle separately)
- after installing the handle inability to remove it



MEGA+ 2 kg
£M000001

COLORS :

WHITE 186C RED 347C GREEN 116C YELLOW 1575C ORANGE 2728C BLUE BLACK OTHER**




MEGA+ 2 kg - TWO-COLOR SCOOP
£M000002

COLOR OF SCOOP / COLOR OF HANDLE:

WHITE 186C RED 347C GREEN 116C YELLOW 1575C ORANGE 2728C BLUE BLACK OTHER**



BIG 1000 g
£001000

WHITE 2035C RED 2418C GREEN 116C YELLOW 2194C BLUE OTHER**



MIDI 500 g
£000500

WHITE 2035C RED 2418C GREEN 116C YELLOW 2194C BLUE OTHER**



MINI 1 - 200 g
£K00200

WHITE 2035C RED 2418C GREEN 116C YELLOW 2194C BLUE BROWN 732C OTHER**



MINI 2 - 200 g
£000200

WHITE 199C RED 2418C GREEN BLACK OTHER**



MINI 150 g
£000150

WHITE 199C RED 2418C GREEN BLACK OTHER**



MIKRO 50 g
£K00050

WHITE 2035C RED 2418C GREEN 116C YELLOW 2194C BLUE BROWN 732C OTHER**

* minimum order quantity 100 pcs.

** for individual inquiry



Buckets with imprints

EKO 5 L / 10 L



W00D005

W00D010



*minimum order quantity 1000 pcs.

HANDLE FOR BUCKET SOFT GRIP
12 L / 16 L / 20 L



STRONG COLOR RECYCLING 12 L / 16 L / 20 L



W00CR12

W00CR16

W00CR20



Abrasion and solvent resistant imprints


Features:

- Flexible, crack-resistant
- Graduation in litres inside the bucket
- Zinc-coated wire bracket
- Custom indelible overprint available, also in many different colors

The strength of buckets Strong



96 kg



STRONG COLOR 12 L / 16 L / 20 L



W00C12

W00C16

W00C20



**order W00C12 min. 5000 szt.
**order W00C16 min. 3000 szt.
**order W00C20 min. 3000 szt.

STRONG BLACK RECYCLING 12 L WITH FUNNEL



W00CR12L



BLACK

Yellow TRAP

Features:

- helpful in fighting rape pests
- has a table with potential damage thresholds
- any imprint of promotion headword or logo is possible



YELLOW TRAP-01 TRAP010



Set contains:



Yellow vessel

YELLOW TRAP-02 with a clamp to be installed on any stick \varnothing 20 - 24 TRAP020



Set contains:



Yellow vessel



Mounting bracket on the tube/rod \varnothing 20-24 mm



YELLOW TRAP-03 with a clamp and stick ready for installation TRAP030




easy regulation the height of the trap

Set contains:



Yellow vessel



Mounting bracket on the tube/rod \varnothing 20-24 mm



folding stick 160 cm



connector 3 pcs.


ŻÓLTE NACZYNIĘ TRAP-03 PREMIUM z uchwytem, stojakiem i pudełkiem TRAP030P



Set contains:



Yellow vessel



Mounting bracket on the tube/rod \varnothing 20-24 mm



folding stick 160 cm



connector 3 pcs.



triangular box



Printed table with potential damage thresholds



Yellow TRAP-PRO with a grid to protect the bees



NEW

**AVAILABLE
SOON**



żółte naczynie TRAP-PRO- pomoc w zwalczaniu szkodników

SKODNIK	MONITORING	PROG SZKODLIWOSCI
ciemny gładziwek		2-3 szt. w ciągu 3 dni w czasie
ciemny brzoświacek	wrzesień, październik	10 szt. w ciągu 3 dni w czasie
ciemny czarnoczątny	marzec	20 szt. w ciągu 3 dni w czasie
ciemny rzepiokowy	marzec, kwiecień	1-2 szt. chorowocne na 1 m ²
	kwiecień	

Principles of use:




The vessel should be placed on the field just after seeding rapeseed in autumn and after the last snow melts in the spring. Install it approximately 20 m from the field edge, always at the level of the plants' top. It is recommended to use at least four vessels for each plantation.



Pour water with a bit of dishwashing detergent up to the half of the vessel's height. The addition of the detergent will reduce the surface tension of water which will make the pests immerse in it easier.



Monitor the vessel daily, i.e. count the immersed pests and read the pest limit threshold on the table printed on the vessel. Replace water in the vessel each time.



The yellow vessel should be installed on a stick and raised with the growth of rapeseed.

After exceeding the pest limit threshold, decide whether you want to spray the field.

The yellow vessel helps to diagnose the level of harmfulness done by such insects as: ceutorrhynchus, meligethes aeneus and dasineura brassicae.



RAIN GAUGES

RAIN GAUGE - EKO
D000001E



RAIN GAUGE - STANDARD
D000001S



RAIN GAUGE - PREMIUM
D000001P



Set includes:



Set includes:



Set includes:




RAIN GAUGE - FOLD1
DFOLD100



RAIN GAUGE - FOLD3R
DFOLD3RO



Set includes:



Set includes:



**AVAILABLE
SOON**

RAIN GAUGE FOLD1

Rain gauge with a foldable stick packed in a box which allows to make the further shipping easier



ecological packaging
saving cardboard



Features:


- vertical scale up to 40 mm with accuracy to 0.5 mm
- expanded scale to 70 mm
- two indicators of the adder (in different colours) allowing to register precisely weekly, monthly and yearly rainfalls
- the adder allows to register the summary rainfall up to 250 mm (250l/m²)
- cone construction of the mounting ring guaranteeing the optimum setting of the rain gauge against the falling rain
- rain gauge protected with patent no (P.218270)
- box of rain gauge protected with industrial design no 18572
- imprint protected with EUIPO no 008303481-0001
- possibility to make any additional imprint




Measuring quadrat FRAME for agricultural

Applications:

- Measuring the emergence crops, damaged crops and the degree of infestation
- Calculation of plant emergence along the length of a row crop (width of the rows from 10 to 18 cm)
- Advertising medium as well as practical and handy measuring tool (length of the gauge 100 cm / 160 cm)




QUADRAT - FRAME STANDARD 1/10 m²



RAM0010S

QUADRATFRAME MEGA 1/4 m²



RAM0010M



Measuring the germination:

Put the frame along the row crop. Count the plants as long as you reach the number which determines the distance between the rows. The result has to be multiplied x10. Repeat the measurement in several places and calculate the average. The measurement of germination helps to make the decision about the re-sowing.



Measuring the damaged crops and the number of weeds:

Make a square and count the plants inside the frame. The result has to be multiplied x10. Repeat the measurement in several places and calculate the average. The determination of the number of damaged plants helps not only the framers but also the hunters to specify the damages caused by the wild animals. Measuring frame has the same function by the farmers insurances.



printed tips
how to measure
properly

Farmer`s thermometer SOIL

THERMOMETER SOIL - EKO

T000001E



THERMOMETER SOIL - STANDARD
with a mounting bracket

T000002S



THERMOMETER SOIL - PREMIUM / PREMIUM PRO
with a mounting bracket and box
probe 19 cm

T000003P

PREMIUM

PREMIUM PRO



OR



+



Esthetic box with descriptions in different language versions.



soil temperature



temperature of water



air temperature



mounting bracket



1 min
handle for mounting on the bucket

Wall mounted bracket with mounting tape. It is easy to take out the thermometer from the bracket and measure for example the temperature of liquids

Thermometer with the handle for bucket



Thermometer with wall mount



Measuring the temperature of the soil



Cleaning brush NOZZLE+


Professional cleaning brush for nozzles. Every nozzle operator must have it in his pocket. On the short side are two faults, which measure the diameter of following caps: RAU - 17 mm and ARAG - 19 mm. There is also a notch for setting the nozzle at an angle of 8 degrees. Next to the small hole are two insets.

This is also the key, that facilitates the tightening the cap to the nozzles with a width of 8 mm or 11 mm.

Profesjonalny
czyszczący
pędzelek
dla dysz


key for tightening the cap
to the nozzles with a width
of 8 mm or 11 mm

it is possible to attach
keys or lanyard



notch for setting the nozzle
at an angle of 8 degrees

two faults for measuring the diameter of caps:
RAU - 17 mm and ARAG - 19 mm



BIALY CZERWONY NIEBIESKI ŻÓŁTY ZIELONY



Every nozzle operator must have it in his pocket.



Knife LIZARD




NL00001




A small, ergonomic and handy knife for opening envelopes and packages. Pocket knife Lizard is intended for everyday use by everyone and also for companies in logistics departments. Logo printing possible.



Dial caliper MIL+



S0000011



Precise scale

Practical, plastic dial caliper with inch scale.
Measuring range: 0~150 mm Accuracy: +/- 0,05 mm
Measuring range: 0~5 in Accuracy: +/- 1/128 in
Different imprints colors available.



Oil can JUMBO


OIL CAN JUMBO 5 l
KOJ05001



Features:

Oil cans are suitable for:
oil, petrol, naphthe, antifreeze liquids, brake fluid,
electrolytes

- can be used in industry, agriculture
and in work shops
- made of PE
- acid and oil resistant
- scale in liters and US quarts
- elastic spout
- closing lid



Liquid-level indicator BARREL+

LIQUID LEVEL INDICATOR BARREL+
BARREL01



Features:

- double scale for barrel 60 l and 210 l
- universal adapter for barrel with 3/4" and Tri-Sure
- possibility of printing the logo
- possibility of designing the scales for other capacities



Sealed sample bottles



SEALED SAMPLE BOTTLES CUP 500 (500 ml)
BPC0501



SEALED SAMPLE BOTTLES CUP 1000 (1000 ml)
BPC1001

FEATURES:

- the cap breaks the sealing ring at opening attempt
- prevents access to the contents of the bottle to unauthorized people
- available in capacities of 1000 ml and 500 ml
- turning force minimum 4.0 Nm

USE:

- storage of low octane fuel samples like diesel, food products, chemicals
- protection of liquid and loose products
- used by hospitals, laboratories, gas stations, shipyards, sea transport (meets the requirements of Marpol regulation 14(1) and 18(1) - Inviolability International Convention for the Pollution from Ships)

BENEFITS:

- unique numbering guarantees integrity, protects against industrial espionage and forgery
- bottles made material which meets the materials requirements intended to come into contact with food
- very easy assembly without any tools
- different cap colors make it easy to identify samples
- unique numbering allows for better control and ensures the inviolability of samples

unique numbering of 7 digits



← printed label



RED



GREEN



BLUE



YELLOW

